



West Central Table Land Zone

District-Bargarh

REALISED MAXIMUM & MINIMUM TEMPERATURE RECORDED IN THE OBSERVATORIES AND DISTRICT
AVERAGE RAINFALL DURING THE PERIOD: 07.04.2026 to 13.04.2026

DATES	MAX TEMP (°C)							MIN TEMP (°C)							RAINFALL (mm)						
	07	08	09	10	11	12	13	07	08	09	10	11	12	13	07	08	09	10	11	12	13
Bargarh	33	33	35	35	36	36	36	23	23	22	23	23	23	22	15	0	0	0	0	0	0

Weather forecast for next 5 days

Date	14-04-2026	15-04-2026	16-04-2026	17-04-2026	18-04-2026
Rainfall (mm)	0	0	0	0	0
Max Temperature (° C)	40	40	40	40	41
Min Temperature (° C)	24	25	25	25	26
Total cloud cover (okta)	0	0	0	0	0
Max Relative Humidity (%)	45	38	43	42	29
Min Relative Humidity (%)	11	9	8	9	7
Wind speed (km/h)	6	3	4	6	7
Wind direction (deg)	202	63	158	208	225

For further information, contact the IMD, Bhubaneswar, Tel. # 0674-2596116

Weather Summary/Alert:

According to the medium range weather forecast of IMD, MC, Bhubaneswar, dry weather along with clear sky is expected during upcoming week. Increase in Maximum temperature is expected during upcoming 5 days (Heat wave like condition). Low relative humidity along with a wind speed of 3-7 km/h is predicted in south-westerly, north-easterly and south-easterly direction.

General Advisory

- As per the district level weather forecast of IMD, MC, Bhubaneswar, **Dry weather** very likely to prevail over all the districts of Odisha in upcoming days so farmers are advised to make necessary arrangements to maintain adequate moisture in standing crop fields.
- Farmers should done one summer ploughing where no crop at field.
- Monitoring of sucking insects and fungal disease attack in standing crop fields should be advised.
- Avoid spraying operations during peak sunny hours and it should be done at early morning or at evening hours.
- Farmers are advised to ensure fresh cool drinking water and proper ventilation in animal shed and avoid grazing during 11am to 3pm increase in maximum temperature is expected after some days.

SMS Advisory

- Keeping in view of upcoming heat wave condition, farmers are advised to make necessary arrangements to protect their crop as well as animal and themselves from excessive heat or heat stroke.

Crop and livestock Specific Agromet Advisory

Name of the crop	Crop Stage	Agromet Advisories
Dry Season Rice	Panicle Initiation	<ul style="list-style-type: none"> • Second top dressing of urea 35 kg along with MOP 11 kg per acre at panicle initiation stage should be advised under proper soil moisture condition. • Temperature will be above normal and will increase gradually in upcoming days. This high temperature followed by intermittent thunder shower will favour in build-up Brown Plant hopper infestation. So, its regular monitoring should be advised. • Looking to the heat wave like condition in this week, one life saving

		irrigation should be provided.
Green Gram /Black Gram	Pod development	<ul style="list-style-type: none"> • Maintain adequate moisture at pod development phase. • If pod borer attack noticed in field, then spraying of Emamectin benzoate 5 SG @ 0.4 g or Spinosad 45 SC @ 0.3-0.4 ml or Indoxacarb 14.5 SC @ 0.5 ml per liter of water should be advised. • For better result, spraying should be done at early larval stage in evening hours and avoid repeated use of same insecticide.
Okra	Vegetative stage	<ul style="list-style-type: none"> • Prevailing weather condition (Warm temperatures with moderate humidity) is favourable for shoot and fruit borer attack in Okra so its regular monitoring should be advised. • Use 4 to 5 pheromone traps per acre for effective monitoring and control of okra shoot and fruit borer. If possible, use light traps to attract and kill adult moths.
Mango	Fruiting	<ul style="list-style-type: none"> • Remove severely damaged branches in Mango crop to avoid disease attack. • Maintain sufficient moisture in Mango crop to avoid fruit drops due to upcoming heat stress. • Past weather condition is favourable for Fruit fly attack in upcoming days so its regular monitoring should be advised.
Onion	Bulb Development	<ul style="list-style-type: none"> • Regular monitoring of crop against thrip and disease attacks should be advised because prevailing weather condition is favourable for its attacks. • If Purple blotch disease infestation observed in fields then farmers should spray Tebuconazole 50% + Trifloxystrobin 25% WG @ 0.4g per liter of water under clear weather.
Cucurbits (Pumpkin, Cucumber, Bottle gourd, Bitter gourd, etc.)	Flowering/ Fruiting	<ul style="list-style-type: none"> • The prevailing high day temperatures combine with periodic cloudy conditions, cucurbit crops may face stress that can affect flowering, fruit set and disease incidence. So farmers should provide light and frequent irrigation in field to maintain soil moisture as there is no chance of rainfall is forecasted. • Regular monitoring against the attack of insect and disease should be advised.
Livestock		<ul style="list-style-type: none"> • Considering the upcoming increasing temperature condition, farmers are advised to avoid using animals for work from 12 noon to 4 pm and don't leave them tied in the open places. Pregnant animal (more than 6 months) should be given additional feed. Animal's shades and processing areas for animals should not be under direct sun. Make necessary arrangements to supply fresh clean drinking water to the animals.

Mrs. Jubuli Sahu Junior Agrometeorologist, GKMS, RRTTS, Chiplima	Dr. Sanjukta Mohapatra ADR cum Nodal Officer RRTTS, Chiplima
---	---

- For better agricultural benefits, use **OUAT KALINGA** products (Seedling, Sapling & QPM, Tissue Culture Plants, Fruits and Vegetables, Value Added Products, Fingerling/Yearlings, Poultry chicks, Breeds, Mushroom & Spawn, Bio-Fertilizer, Bio-Pesticides, Vermi & Vermicompost and Farm Implements.)
- IMD Weather forecast and Agro-meteorological advisory of Odisha location is now available on **MEGHDOOT mobile app** (<https://play.google.com/store/apps/details?id=com.aas.meghdoot>) in both English and Odia languages and farmers can also use **DAMINI mobile app** (<https://play.google.com/store/apps/details?id=com.lightening.live.damini>) for thunderstorm and lightning information and **MAUSAM app** for location specific forecast and warning.